STATE	DIVISION JOB NO.	SHEET NO.	TOTAL SHEETS
WISC.	3319	1	68

INDEX OF SHEETS

SHEET NO. 1 TITLE SHEET
" " 2 TYPICAL CROSS SECTION OF IMPROVEMENT
" " 2A ESTIMATE SHEET
" " 3-6 RIGHT OF WAY SHEETS
" " 7 PLAN AND PROFILE STA. 0+00 TO STA. 32+00
" " 8 " " " " 32+00 " " 62+00
" " 9 " " " " 62+00 " " 92+00
" " 10 " " " " 92+00 " " 122+00
" " 11 " " " " 122+00 " " 152+00
" " 12 " " " " 152+00 " " 182+00
" " 13 " " " " 182+00 " " 212+00
" " 14 " " " " 212+00 " " 242+00
" " 15 " " " " 242+00 " " 272+00
" " 16 " " " " 272+00 " " 302+00
" " 17 " " " " 302+00 " " 332+00
" " 18 " " " " 332+00 " " 362+00
" " 19 " " " " 362+00 " " 385+74
" " 20-23 DRAINAGE STRUCTURES SHEETS
" " 24-68 CROSS SECTION SHEETS

STATE OF WISCONSIN

WISCONSIN HIGHWAY COMMISSION

PLAN AND PROFILE OF PROPOSED

COLOMA - OSHKOSH ROAD

AURORAHVILLE - OMRO ROAD

WINNEBAGO COUNTY

STATE AID PROJECT

BEGINNING AT THE W.1/4 CORNER OF SECTION 7, T.18 N-R.14 E. ON THE WEST LINE OF WINNEBAGO COUNTY. THENCE NORTH A DIST. OF 7.247 MI. TO THE S.1/16 CORNER ON THE EAST LINE OF SECTION 7, T.18 N-R.15 E.

SCALES: PLAN 1 IN. = 100 FT.
PROFILE HOR. 1 IN. = 100 FT. VERT. 1 IN. = 10 FT.
CROSS SECTIONS HOR. 1 IN. = 5 FT. VERT. 1 IN. = 5 FT.



CONVENTIONAL SIGNS

STATE AND NATIONAL LINE
COUNTY LINE
CITY, VILLAGE, OR TOWN
TOWNSHIP LINE
SECTION LINE
FENCE LINE
GUARD RAIL
UNFENCED PROPERTY
RIGHT OF WAY LINE
TRAVELED WAY
RAILROADS
RETAINING WALL
LEVEE
BASE OR SURVEY LINE
R.O.W. MARKERS

CULVERTS
DROP INLET
TROLLEY POLE
POWER POLE
TELEPHONE OR TELEGRAPH POLES
MAIL BOX
REFERENCE STAKES
MARSH
HEDGE
TREES
GROUND ELEVATION
GRADE ELEVATION

LAYOUT

SCALE 2 IN. = 1 MI.

TOTAL NET LENGTH OF CENTERLINE = 7.247 MI.

WISCONSIN HIGHWAY COMMISSION
MADISON, WIS.

Surveyor P.W. BISHOP Note Book 5484-5487
Div. Computer P.W. BISHOP M. O. Checker
Div. Checker C. KETTERING Correct

CORRECT: D.H. Gulbertson
DIVISION ENGINEER

RECOMMENDED FOR APPROVAL: Frank Crane
ENGINEER - PLANS AND SURVEYS.

APPROVED: DATE 4/21 1930
W.T. Bretaus
STATE HIGHWAY ENGINEER

DRAWN BY H.C. ALTHAUS

STATE	SHEET NO.	TOTAL SHEETS
3319	2	68
PROJECT NO.	3319	

STANDARD TYPICAL CROSS-SECTIONS



STANDARD CUT AND FILL SECTION SHOWING FINISHED PAVEMENT

STANDARD STRUCTURAL PLANS AND STANDARD REVISED DETAILS AS APPROVED BY THE U.S. BUREAU OF PUBLIC ROADS ON MAY 13, 1928 AND APRIL 30, 1929 RESPECTIVELY, WILL BE USED ON THIS PROJECT. APPROVED DETAIL DRAWINGS ARE AS FOLLOWS:

GUARD POSTS-TYPE "C"	C.-36
PROJECT MARKERS	C.-36
PAVT. REINF.-BRIDGE APPROACHES + CULVERTS	C.-39
PAVT. JOINT DETAILS	C.-40
LIP CURBS	C.-41, C.-42
CONCRETE SURFACE DRAIN BASINS + DRAINS	C.-41, C.-42
STANDARD R.O.W. MARKERS-(TYPE "C" POSTS)	C.-36



STANDARD 6" COMB. CURB AND GUTTER SECTION



STANDARD SUPERELEVATED SECTION

SPECIAL TYPICAL CROSS-SECTIONS



SPECIAL DITCH SECTION

0+00 - 11+00	128+00 - 142+00
192+00 - 199+00	224+00 - 227+00
244+00 - 252+00	377+00 - 382+00



LIP CURB AND SHOULDER DETAIL

TYPICAL CROSS SECTION
FOR
20 FT. CONC. PAV'T. - 30 FT. RDWY.
ONE COURSE - PORTLAND CEMENT

WISCONSIN HIGHWAY COMMISSION

FED. ROAD DIST. NO.	STATE	AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.		2-A	68

DIVISION JOB NO. 3319

ESTIMATE OF QUANTITIES

THIS PROJECT IS TO BE EXECUTED UNDER WISCONSIN STANDARD SPECIFICATIONS AS APPROVED BY U.S. BUREAU OF ROADS ON

MILE NO.	STATION TO STATION	NET LENGTH OF CENTERLINE	EXCAVATION: CLEARING	GRUBBING	EARTH	LOOSE ROCK	SOLID ROCK	BORROW	FINISHING SHOULDERS	CHANNEL EXCAVATION	SURFACE STONE	INTERCEPTING DITCHES	SPECIAL DITCHES	SEEDING SLOPES
			1	2	3	4	5	6	7	8	9	10	11	12
			ACRES	ACRES	CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	SQ. YDS.	CU. YDS.	CU. YDS.	LIN. FT.	CU. YDS.	SQ. YDS.
1	0+00 - 53+00	5300.0			1675			9031						
2	53+00 - 106+00	5300.0			6626	UNDISTRIBUTED	UNDISTRIBUTED				UNDISTRIBUTED			
3	106+00 - 159+00	5300.0			5707									
4	159+00 - 212+00	5300.0			6003									
5	212+00 - 265+00	5300.0			6104									
6	265+00 - 318+00	5300.0			4656									
7	318+00 - 371+00	4991.6			8148									
8	371+00 - 385+74	1474.0			750			6896						
TOTAL		38265.6			39669	50	10	15927			25			

MILE NO.	SURFACING: BROKEN STONE BASE COURSE IN PLACE	BR. STONE BASE COURSE EXCEPT HAULING	20 FEET ONE COURSE PORTLAND CEMENT CONC. PAVT.	TRANSVERSE EXPANSION JOINTS ½ IN.	TRANSVERSE EXPANSION JOINTS 1 IN.	LIP CURB TYPE A	LIP CURB TYPE B	LIP CURB TYPE C	CONC. SURF. DRAINS	CONC. HEADERS	PORTL. CEMENT IN PAVT. FURNISHED	BAR REIN'F STEEL IN PAVT.	STEEL FABRIC REINF.	26	27	28	CRUSHED SURFACE COURSE IN PLACE EXCEPT HAUL	FINE CRUSHED SURFACE COURSE IN PLACE: GRAVEL	FINE CRUSHED SURFACE COURSE IN PLACE: STONE	TOP SOIL OR CLAY SURFACE COURSE: COMPLETE IN PLACE	TOP SOIL OR CLAY SURFACE COURSE: EXCEPT HAULING	SHALE SURFACE COURSE: COMPLETE IN PLACE	SHALE SURFACE COURSE: EXCEPT HAULING	PEA GRAVEL SURFACE COURSE: COMPLETE IN PLACE	PEA GRAVEL SURFACE COURSE: EXCEPT HAULING	HAUL	37	BITUMINOUS MACAD. SURF. COURSE	BITUMEN FOR BIT. MACAD. SURF. COURSE	BITUMINOUS RETREAD SURF. COURSE	BITUMEN FOR BIT. RETREAD SURF. COURSE	EXCAVATION STRUCTURES: 6 FT. TO 20 FT. DRY EXCAV.	6 FT. TO 20 FT. WET EXCAV.	OVER 20 FT. DRY EXCAV.	OVER 20 FT. WET EXCAV.	45
	13	14	15	16	17	18	19	20	21	22	23	24	25				29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	
	CU. YDS.	CU. YDS.	SQ. YDS.	NO.	NO.	LIN. FT.	LIN. FT.	LIN. FT.	CU. YDS.	LIN. FT.	BBLS.	LBS.	SQ. YDS.				CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	C.Y. MI.	C.Y. MI.	CU. YDS.	GAL.	CU. YDS.	GAL.	CU. YDS.	CU. YDS.	CU. YDS.	CU. YDS.	
1			11777.8	113						20	3440	510																							
2			11777.8	113		1100			4		3445	860																							
3			11777.8	113		400	3400		8		3451	1465																							
4			11777.8	113		2000	2800		16		3463	1910																							
5			11777.8	113		2000	1600		12		3457	1305																							
6			11777.8	113				1100	2		3442	1195																							
7			11092.4	107				1479	4		3245	1115																							
8			3503.5	32							1022	527																							
TOTAL			85262.7	817		5500	7800	2579	46	20	24965	8887																							

MILE NO.	DRAINAGE STRUCTURES: OVER 20 FT. SPAN: CLASS B P. CEM. CONC.	PORTL. CEMENT	REINF. STEEL	6 FT. TO 20 FT. INCLUSIVE: CLASS B P. CEM. CONC.	PORTL. CEMENT	REINF. STEEL	CULVERTS 6 FT. SPAN & UNDER: CLASS B P. CEM. CONC.	PORTL. CEMENT	REINF. STEEL	FLOOR DRAINS	STRUC. STEEL ERECTED	CAST STEEL IN PLACE	TREATED WOOD BLK WEARING SURFACE	BITUM. CARPET WEARING SURFACE	UNTREATED TIMBER: PILING DELIV.	PILING DRIVEN	TREATED TIMBER: PILING DELIV.	PILING DRIVEN	LUMBER & TIMBER: UNTREATED	TREATED	CONC. BALUSTERS	WATER PROOFING
	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67
	CU. YDS.	BBLS.	LBS.	CU. YDS.	BBLS.	LBS.	CU. YDS.	BBLS.	LBS.	NO.	LBS.	LBS.	SQ. YDS.	SQ. YDS.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	M.F.B.M.	M.F.B.M.	NO.	SQ. FT.
1																						
2																						
3																						
4																						
5																						
6																						
7																						
8																						
TOTAL																						

MILE NO.	DRAINAGE STRUCTURES: CAST IRON PIPE: CORR. GALV. SHEET METAL PIPE: 18 IN.	24 IN.	30 IN.	36 IN.	48 IN.	60 IN.	REINFORCED CONCRETE PIPE: IN.	IN.	IN.	IN.	IN.	IN.	VITRIFIED CLAY PIPE: IN.	IN.	TILE DRAINS: IN.	IN.	GUARD FENCE: WIRE ROPE TYPE-B	WIRE ROPE TYPE-E	GUARD POSTS TYPE-C	ANCHORAGES FOR WIRE ROPE
	76	75	76	75	76	77	78	79	80	81	82	83	84	85						
	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	NO.	NO.
1	100					108													125	
2	120	182																	2	
3	120	138			48														3	
4	60	160		48															2	
5	80	94																	1	
6	56	140				250													2	
7	140	96	100																11	
8	70			62															76	
TOTAL	746	810	100	110	48	358													222	

MILE NO.	CONC. GUTTERS	CONC. CURBS	COMBINATION CURB & GUTTER	SPEC'L CONC. CURB & GUTTER	CONC. FLUME	PORT. CEMENT IN CONC. GUTTERS, CURBS, COMB. CURB & GUTTER-FLUME	CATCH BASINS TYPE-	MAN-HOLES	INLET TYPE	RIP RAP	RUBBLE MASONRY IN PLACE	PLAIN RUBBLE PAVING IN PLACE	GROUTED RUBBLE PAVING INCLUDING CEMENT IN PLACE	PORTLAND CEMENT IN PLACE HANDLING ONLY	MISCELLANEOUS ITEMS: ARMOR PROTECT 5"-6.5# CHANNEL	R.O.W. MARKER POSTS	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119
	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101																		
	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	LIN. FT.	BBLS.	NO.	NO.	NO.	CU. YDS	CU. YDS.	SQ. YDS.	SQ. YDS.	BBLS.	LIN. FT.	NO.																			
1														3440		16																		
2														3445		12																		
3														3451		10																		
4														3463		10																		
5														3457		12																		
6														3442		12																		
7														3245		16																		
8														1022	40	4																		
TOTAL														24965	40	92																		

SHRINKAGE ALLOWANCE 25%

ESTIMATE OF QUANTITIES
FOR
ONE COURSE PORTLAND
CEMENT CONCRETE PAVEMENT
20 FT.
COLOMA-OSHKOSH ROAD

WISCONSIN HIGHWAY COMMISSION
MADISON, WIS.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	3	

DIVISION JOB NO. 3319



LOCATION SKETCH
SCALE 2"-1 MILE

NO.	OWNER	ADDRESS	AC'S	DESCRIPTION	MORTGAGES	ADDRESS	R./W.	FENC.	DAM.	TOT.	PAID	REMARKS
1	DELTOX GRASS RUG CO.		1.35	S½ - N½ - SEC. 7 - T. 18N. R. 14E.								
2	A. ELENDT		1.23	N½ - SW¼ - " " "								
3	J. LOKER		0.89	NW¼ - SE¼ " " "								
4	W. KIRK		0.33	SW¼ - NE¼ " " "								
5	MRS. C. PROFFIT		0.493	NE¼ - SW¼ - SEC. 8 " "								
6	L. HOGAR		3.395	E¼ - SE¼ - SEC. 12 " "								
7	W. BROOKS		0.436	SW¼ - SW¼ - SEC. 7 T. 18N. R. 15E.								

PLAT OF RIGHT OF WAY REQUIRED
STATE AID PROJECT NO. 3319
COLOMA - OSHKOSH ROAD
S.T.H. 21
WINNEBAGO COUNTY
SCALE 0 500' 1000'

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	4	

DIVISION JOB NO. 3319

TOWN OF RUSHFORD

COUNTY LINE

DELTOX RUG CO. (1)

STA. 0+00 BEG. OF PROJ. 3319

66' 57' 62' N87°41'E.

10+59

T.18N. 7 R.14E.

28+34

(2) A. ELENDT

35+02

(3) J. LOKER

41+71

W. KIRK (4)

C. KIRK

54+98

61+73

61+69

P.I.=63+00

Δ= 0°49R

LUCAS CARLEY

MRS. A. ALLEN

68+39

N88°30'E.

49.5'

T.18N. 8 R.14E.

(5) MRS. CLARA PROFFIT

81+44

82+02

MRS. CLARA PROFFIT

S. MUSCAVITCH

95+19

R. MUSCAVITCH

W. HESS

108+36

108+88

66'

N

W E

PLAT OF RIGHT OF WAY REQUIRED

STATE AID PROJECT NO. 3319

COLOMA-OSHKOSH ROAD

S.T.H. 21

WINNEBAGO COUNTY

SCALE 0 500' 1000'

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	5	

DIVISION JOB NO. 3319

W. E.

TOWN OF RUSHFORD

D. DAGGETT | J. McGIVERN | C. BROOKS | OTTO ALBRIGHT | FRED BALDRY | WILL HAEDT | A. BRADLEY | E. HAEDT | H. COATS

108+37 P.O.T.=109+00 66' N.88°12'E. 121+86 P.I.=133+00 Δ=0°-05'R. 135+07 N.88°-17'E. 148+37 161+72 N.88°40'E. 171+63 179+90 188+16 P.I.=192+00 Δ=0°-10'L. N.88°30'E 214+64 P.I.=215+00 Δ=0°22'R. N.88°52'E. 66' 241+05

P.I.=113+00 Δ=0°19'L.

T.18N. 9 R.14E.

P.I.=162+00 Δ=0°23'R

T.18N. 10 R.14E.

174+32 188+19 201+38

P.O.T.=229+00 234+44

T.18N. 11 R.14E.

G. DAGGETT | BART HESS | ED. PELTZ | MRS. R. ROYCRAFT | JOHN ROYCRAFT | G. BRADLEY | ADOLPH ZILKE | BERT HESS | H. STERTZ | R. KING

PLAT OF RIGHT OF WAY REQUIRED

STATE AID PROJECT NO. 3319

COLOMA - OSHKOSH ROAD

S.T.H. 21

WINNEBAGO COUNTY

SCALE 0 500' 1000'

FED. ROAD DIST. No.	STATE	STATE AID PROJ. No.	SHEET No.	TOTAL SHEETS
4	WIS.	3319	6	

DIVISION JOB NO. 3319

TOWN

TOWN OF OMRO

R. KING

E. WALTERS

OF

H. FISHER

H. COATS

E.A. CROISANT

W. SZEP

FRANZ ESTATE

P.I.=273+00
Δ=0°07'L

P.I.=314+47.6
I.=73°10
D=7°0'
T.=607.8
L.=1045.2

241+05 | 247+63 | 260+97 | 267+40 | 267+81 | 280+65 | 293+70 | 304+54

66'

N.88°-52'E.

N.88°45'E.

T.18N. 11 R.14E.

T.18N. 12 R.14E.

T.18N. 7 R.15E.

R. KING

MRS. WILSON

267+57

F.S. COLE

W.&B. SZEP

L. HOGAR

6

WARREN BROOKS

7

C. REDLIN

C. L. KING

FRANZ ESTATE

P.C.=308+39.8

P.T.=318+85.0

S.18°05'E.

P.C.=324+50.5

P.I.=330+05.2
I.=68°-13'
D.=7°-0'
T.=554.7
L.=974.5

P.T.=334+25.2
=337+33.4

328+51 | 329+23 | 339+29 | 346+00 | 359+40 | 372+40 | 385+74

S.86°18'E.

STA 385+74
END OF PROJ.

66'

391'

1959'

RUSHFORD

PLAT OF RIGHT OF WAY REQUIRED

STATE AID PROJECT NO. 3319

COLOMA – OSHKOSH ROAD
S.T.H. 21

WINNEBAGO COUNTY

SCALE: 0 500' 1000'

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	7	68

DIVISION JOB NO. 3319

PLAN	DATE
SURVEYED	
PLOTTED BY E. Bishop	
GRADE CHECKED	
R. M.'S NOTED	
STRUCTURE NOTATIONS CH'KD.	
NOTE BOOK No. 582-A	RT. OF WAY CHECKED



BENCH MARKS

STATION	DESCRIPTION		ELEV.
1+00	SPIKE IN 10" BOXELDER	33' RT.	100.00
18+00	SPIKE IN 8" ELM	200' RT.	86.42



PROFILE	DATE
SURVEYED	
PLOTTED BY E. Bishop	
GRADE CHECKED W. Kattelus	
R. M.'S NOTED E. Bishop	
STRUCTURE NOTATIONS CH'KD.	
NOTE BOOK No. 582-A	

PLATE 1 - PLAN-PROFILE O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	8	68

DIVISION JOB NO. 3319

PLAN	DATE
SURVEYED	
PLOTTED BY	P. Bishop
NOTE BOOK CHECKED BY	"
NO.	
SCALE	
PLAT CHECKED BY	
NO. OF MAPS CHECKED	

PROFILE	DATE
SURVEYED BY	P. Bishop
PLOTTED BY	"
NOTE BOOK CHECKED BY	W. Kettering
NO. 5382	P. Bishop
SCALE	
PLAT CHECKED BY	
NO. OF MAPS CHECKED	

W. KIRK

MARSH

END OF MARSH

CULTIVATED

CULTIVATED

CULTIVATED

CULTIVATED

CULTIVATED

CULTIVATED

MARSH

END OF MARSH

MARSH

J. LOKER

C. KIRK

30 — 57' — N.87°-41'E. — 62'

35 — 57' — 62'

40 — 33' — 33'

45

50

55

60 — 33' — 33'

H.O. 12" 12"

H.O. 12"

LOCATION OF PRIV. ENTR. PIPES TO BE DETERMINED BY ENGINEER IN FIELD.

BENCH MARKS

STATION	DESCRIPTION	ELEV.
39+50	24" ELM 38' LT.	86.86

MISC. QUANTITIES FOR MILE 1

ITEM	TYPE	LOCAT.	STA TO STA.	UNIT	AMT.	TOTAL
ROW MARKERS		TOTAL	FOR MILE	POSTS	16	16
PRIVENT. PIPES	18"	L & R	2+00	LIN.FT.	40	
" " "	18	R.	34+00	"	20	
	18	L.	48+50	"	20	
	18	R.	50+00	"	20	100
CONC. HEADER	STD.		0+00	"	20	20
GUARD FENCE	"C" (36" ctr.)	L & R	18+50	41+00 POSTS	124	124

NET LENGTH OF ℄ 32+00 - 62+00 = 3000 LIN.FT.
" " " " 32+00 - 53+00 = 2100 " "
" " " " 53+00 - 62+00 = 900 " "

90

80

0.00%

PC = 42+00 EL. = 87.00

200' V.C.

PI = 43+00 EL. = 87.00

PT = 44+00 EL. = 88.00

+1.00%

PC = 46+50 EL. = 90.50

PI = 48+50 EL. = 92.50

400' V.C.

PT = 50+00 EL. = 91.62

-0.44%

PC = 56+75 EL. = 89.87

200' V.C.

PI = 57+75 EL. = 88.43

PT = 58+75 EL. = 88.44

+0.01%

90

80

42+00 - 48+11
C. 422 C.Y.
F. 937 C.Y.

48+00 - 59+29
C. 1035 C.Y. F. 890 C.Y.

48+11 - 53+00
C. 557 C.Y.
F. 251 C.Y.

53+00 - 60+00
C. 478 C.Y.
F. 599 C.Y.

86.3 87.00	86.9 87.00	86.1 87.00	86.0 87.00	86.4 87.00	86.7 87.00	86.3 87.00	86.5 87.00	86.5 87.00	86.6 87.00	86.8 87.00	87.2 87.00	87.8 87.00	87.5 87.25	87.8 88.00	88.6 89.00	90.2 90.00	91.0 90.95	92.4 91.59	92.1 91.87	92.1 91.79	91.4 91.40	92.7 90.96	90.5 90.52	90.2 90.08	89.9 89.64	88.7 89.20	88.5 88.77	88.1 88.49	87.7 88.44	87.8 88.45	87.8 88.46	87.8 88.47
30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62

PLATE 1 - PLAN-PROFILE O.F.R.A.R.E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	33/9	9	60

DIVISION JOB NO. 33/9

PLAN — SURVEYED: BY Z. Bishop; PLOTTED: " ; ALIGNMENT CHECKED: W. Hagerup; AC. OF MAP CHECKED: Z. Bishop; NOTE BOOK NO. 5824; DATE



LOCATION OF PRIV. ENTR. PIPES TO BE DETERMINED BY ENGINEER IN FIELD

BENCH MARKS

STA	DESCRIPTION	ELEV.
61+75	18" ASH 250 FT. LT.	87.92
82+00	12" OAK 100 FT. LT.	92.67

MISC. QUANTITIES FOR MILE 2

ITEM	TYPE	LOCAT.	STA TO STA		UNIT	AMT.	TOTAL
LIP CURB	"A"	R&L	100+50	106+00	LIN FT.	1100	1100
LIPCURB OUTLETS	STD	R&L	100+50		C.Y.	4	4
STEEL IN "	STD	TOTAL FOR MILE			LBS.	350	350
R.O.W. MARKERS		"	"	"	POSTS	12	12
PRIV. ENT. PIPES	18"	R&L	65+00		LIN FT.	40	
" " "	18"	R&L	79+00		" "	40	
" " "	18"	R&L	105+00		" "	40	120
" " "	24"	R&L	90+00		" "	44	44

NET LENGTH OF ℄ 62+00 TO 92+00 = 3000 LIN. FT.

PROFILE — SURVEYED: BY Z. Bishop; PLOTTED: " W. Hagerup; CROSS SECTIONED: Z. Bishop; B. M.'S NOTED: ; STRUCTURE NOTATIONS CK'D: ; NOTE BOOK NO. 5824; DATE



PLATE 1 — PLAN-PROFILE © P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	10	68

DIVISION JOB NO. 3319

PLAN — SURVEYED — DRAFTED — NOTE BOOK — R.W.'S NOTED — R.W.'S CHECKED — DATE — BY D. Bishop — NOTE BOOK No. 5484



BENCH MARKS

STA.	DESCRIPTION	ELEV
109+00	15" ELM 50' RIGHT	142.74

NET LENGTH OF ℄ 92+00 - 106+00 = 1400 LIN.FT.
" " " " 106+00 - 122+00 = 1600 " "

PROFILE — SURVEYED — DRAFTED — NOTE BOOK — GRADES CHECKED — R.W.'S NOTED — DATE — BY D. Bishop — BY W. Kettering — BY D. Bishop — No. 5484 — PROFILE & ADDITIONS CHECKED



PLATE 1-PLAN-PROFILE © P.F.P.A.R.E. STANDARD
THE FREDERICK POST CO. CHICAGO

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	11	68

DIVISION JOB NO. 3319

PLAN — SURVEYED ___ PLOTTED ___ NOTE BOOK ___ No. 2454 — ALIGNMENT CHECKED ___ ST. OF WAY CHECKED ___ — BY P.B. Bishop — DATE ___



LOCATION OF PRIV. ENT. PIPES TO BE DETERMINED BY ENGINEER IN FIELD

MISC. QUANTITIES FOR MILE 3

ITEM	TYPE	LOCAT.	STA. TO STA.	UNIT	AMT.	TOTAL
LIP CURB	A	R&L.	106+00	108+00	LIN. FT.	400	400
" "	B	R&L.	123+50	133+00	" "	1900	
" "	B	R&L.	137+00	144+50	" "	1500	3400
LIP CURB OUTLETS	STD	R&L	123+50		C.Y.	4	
" " "	STD	"	144+50		"	4	8
STEEL IN OUTLETS	STD.	TOTAL	FOR MILE		LBS	700	700
R.O.W. MARKERS		TOTAL	FOR MILE		POSTS	10	10
PRIV. ENT. PIPES	18"	L. & R.	123+25		LIN. FT.	40	
" " "	18"	R.	143+90		"	20	
" " "	18"	L.	140+75		"	20	
" " "	18"	R.	152+50		"	20	
" " "	18"	L.	155+10		"	20	120
" " "	24"	L. & R.	120+00		"	44	44

BENCH MARKS

STA.	DESCRIPTION	ELEV.
134+60	24" ELM 30' LT.	164.98
148+25	24" ELM 30' LT.	141.39

NET LENGTH OF ℄ 122+00 - 152+00 = 3000 LIN. FT.

PROFILE — SURVEYED ___ PLOTTED ___ NOTE BOOK ___ No. 2454 — GRADES CHECKED P.B. Bishop — X-SECTIONS ___ STRUCTURE LOCATIONS CHECKED W. Keating / P.B. Bishop — DATE ___



PLATE 1—PLAN-PROFILE O. P. R. & R. E. STANDARD
THE FREDERICK POST CO., CHICAGO

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	12	68

DIVISION JOB NO. 3319

PLAN	SURVEYED	BY	DATE
	PLOTTED	D. Bishop	
NOTE BOOK No. 5484	RIGHT OF WAY CHECKED		
	CL. OF WAY CHECKED	W. Kittering	
		E. Bishop	

STA. 158+39
18"x18' PIPE
GOOD CONDITION
REMOVE

STA. 172+19
36"x34' PIPE
GOOD CONDITION
REMOVE

O. ALBRIGHT

CULTIVATED

F. BALDRY

HOUSE

CHURCH

ROAD

WOODS

CULTIVATED

W. HAEDT

HO

N88°11'E

N88°40'E

150 155 160 165 170 175 180

33' 33' 33'

22' 22' 22'

23'

ACRES

P.I. -162+00
I - 0°23'
EASE OFF IN
CONSTRUCTION

CROSS

MRS. R. ROYCRAFT

CULTIVATED

CULTIVATED

J. ROYCRAFT

PASTURE

G. BRADLEY

CULTIVATED

N.

W. E.

BENCH MARKS

STA.	DESCRIPTION	ELEV.
176+60	36" ELM 35' RT.	158.75

NET LENGTH OF ℄ 152+00 - 159+00 = 700 LIN. FT.
" " " " 159+00 - 182+00 = 2300 " "

158+39 24"x48' PIPE REQ'D.
I. EL. 152.4 D.EL. 151.9
255# REINF. STEEL IN PAVT.
1 TYPE "C" GUARD POST REQ'D.

172+19 36"x48' PIPE REQ'D.
I. EL. 151.7 D.EL. 151.3
255# REINF. STEEL IN PAVT.
1 TYPE "C" GUARD POST REQ'D.

P.C. 161+00 EL. 157.97
P.I. 163+00 EL. 159.87
400' V.C.
P.T. 165+00 EL. 158.01
P.C. 167+50 EL. 156.69
P.I. 169+00 EL. 154.29
300' V.C.
P.T. 170+50 EL. 154.80
P.C. 174+00 EL. 155.99
400' V.C.
P.I. 176+00 EL. 156.67
P.T. 178+00 EL. 160.61
P.C. 180+00 EL. 164.56
300' V.C.
P.I. 181+50 EL. 167.50

+0.95% +0.93% +0.34% +1.97

PROFILE	SURVEYED	BY	DATE
	PLOTTED	D. Bishop	
NOTE BOOK No. 5484	CROSS CHECKED	W. Kittering	
	R. W.'s NOTED	E. Bishop	
	ESSENTIAL MONUMENTS CHECKED		

151+23 - 155+28
C 424 C.Y.
F 337 C.Y.

155+28 - 163+42
C 1257 C.Y. F 1006 C.Y.

155+28 - 159+00
C 174 C.Y.
F 618 C.Y.

159+00 - 163+42
C 1083 C.Y.
F 388 C.Y.

163+42 - 172+71
C 954 C.Y.
F 763 C.Y.

172+71 - 192+61
C 2272 C.Y.
F 1819 C.Y.

3 4

| | | |

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	13	68

DIVISION JOB NO. 3319

PLAN — SURVEYED: — PLOTTED: — NOTE BOOK No. 5484 — ALIGN'T CHECKED: — ELEV. OF WAY CHECKED: — BY P.B.Bishop — DATE



LOCATION OF PRIV. ENT. PIPES TO BE DETERMINED BY ENGINEER IN THE FIELD.

BENCH MARKS

STA	DESCRIPTION	ELEV.
187+85	18" OAK 30' R.T.	197.62
209+05	24" OAK 25' L.T.	186.84

MISC. QUANTITIES FOR MILE 4

ITEM.	TYPE	LOCAT.	STA. TO STA.		UNIT	AMT.	TOTAL
LIP CURB	B	R+L	178+00	192+00	LIN.FT.	2800	2800
" "	A	R+L	195+00	205+00	" "	2000	2000
LIP CURB OUTLETS	STD.	R+L	178+00		C.Y.	4	
" " "	"	R+L	185+00		"	4	
" " "	"	"	200+00		"	4	
" " "	"	"	205+00		"	4	16
STEEL IN OUTLETS	STD	TOTAL FOR MILE			LBS.	1400	1400
R.O.W. MARKERS	TOTAL	FOR MILE			No.	10	10
PRIV. ENT. PIPES	18"	R	163+00		LIN.FT.	20	
" " "	18"	L	163+40		" "	20	
" " "	18"	L	165+80		" "	20	60
" " "	24"	L	178+10		" "	22	
" " "	24"	R	182+60		" "	22	
" " "	24"	L	183+40		" "	22	
" " "	24	R	200+10		" "	22	
" " "	24"	L	209+25		" "	22	110

NET LENGTH OF ℄ 182+00 - 212+00 = 3000 LIN.FT.



PROFILE — SURVEYED: — PLOTTED: — NOTE BOOK No. 5484 — GRADES CHECKED: — R. M.'s NOTED: — STRUCTURE NOTATIONS CHECKED: — BY P.B.Bishop W. Kottering P.B.Bishop — DATE

PLATE 1—PLAN-PROFILE O. P. R. & R. E. STANDARD
THE FREDERICK POST CO. CHICAGO

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	14	68

DIVISION JOB NO. 3319



LOCATION OF PRIV. ENT. PIPES TO BE DETERMINED BY ENGINEER IN THE FIELD.

MISC. QUANTITIES FOR MILE 5

ITEM	TYPE	LOCAT.	STA. TO STA.		UNIT	AMT.	TOTAL
LIP CURB	B	R&L	230+00	238+00	LIN.FT.	1600	1600
" "	A	"	241+00	251+00	" "	2000	2000
LIP CURB OUTLETS		"	238+00		C.Y.	4	
" " "		"	246+00		"	4	
" " "		"	251+00		"	4	12
STEEL IN OUTLETS	STD.	TOTAL	FOR MILE		LBS.	1050	1050
ROW MARKERS		"	"		NO.	12	12
PRIV. ENT. PIPES	18"	L.&R.	232+50		LIN.FT.	40	
" " "	18"	R	239+50		" "	20	
" " "	18"	L	245+70		" "	20	80
" " "	24"	L	256+25		" "	22	
" " "	24"	R	263+75		" "	22	44

BENCH MARKS

STA.	DESCRIPTION	ELEV.
237+45	24" ELM 30' R.T.	168.62

NET LENGTH OF ℄ 212+00-242+00 = 3000 LIN.FT.

STA 221+07
24"×50' PIPE REQ'D
EL. I. = 178.6 - EL. D. = 178.1
REINF. STEEL IN PAVE 255 LBS.
1 TYPE "C" CULV. POST REQ'D



PLAN: SURVEYED ; PLOTTED ; GRADES CHECKED ; S. R.'s NOTED ; STRUCTURES & DRAINING CHECKED ; DATE ; BY D.B.Bishop ; NOTE BOOK No. 5484 ; ALIGNMENT CHECKED ; CT. OF WAY CHECKED

PROFILE: SURVEYED ; PLOTTED ; GRADES CHECKED ; S. R.'s NOTED ; STRUCTURES & DRAINING CHECKED ; DATE ; BY D.B.Bishop W.Kettering E.B.Bishop ; NOTE BOOK No. 5484

PLATE 1—PLAN-PROFILE O. P. R. & B. E. STANDARD
THE FREDERICK POST CO., CHICAGO

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	15	68

DIVISION JOB NO. 3319

PLAN		BY	DATE
	SURVEYED		
	PLOTTED	P. Bishop	
NOTE BOOK	CROSS CHECKED		
No. 5434	ALIGNMENT CHECKED	W. Kettering	
	PT. OF W.A.T. CHECKED	P. Bishop	





FED. ROAD DIST. NO.	STATE	STATE I.D. PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	16	68

DIVISION JOB NO. 3319

PLAN	SURVEYED	BY	DATE
NOTE BOOK No. 5494	PLOTTED	P. Bishop	
	CHECKED	"	
	ALIGNMENT CHECKED		
	R.W.'s NOTED		
	ST. OF WAY CHECKED		
	FINISHED GRADINGS CHECKED		



LOCATION OF PRIV. ENT. PIPES TO BE DETERMINED BY ENGINEER IN THE FIELD.

MISC. QUANTITIES FOR MILE 6

ITEM	TYPE	LOCAT.	STA. TO STA.		UNIT	AMT.	TOTAL
LIP CURB	C	R.	307+00	318+00	LIN. FT.	1100	1100
LIP CURB OUTLET	STD.	R.	308+40		C.Y.	2	2
STEEL IN OUTLET.	STD.	TOTAL FOR MILE			LBS	175	175
R.O.W. MARKERS		"	"	"	NO.	12	12
PRIV. ENT. PIPES	24"	L	273+90		LIN. FT.	22	
" " "	24"	R	276+90		" "	22	
" " "	24"	L	289+50		" "	22	
" " "	24"	R	291+50		" "	22	
" " "	24"	L	293+80		" "	22	110
" " "	18"	R	306+00		" "	20	20

BENCH MARKS

STATION	DESCRIPTION	ELEV.
272+70	SPIKE IN 18" ELM. 30' RT.	118.41

PROFILE	SURVEYED	BY	DATE
NOTE BOOK No. 5494	PLOTTED	P. Bishop	
	CHECKED	W. Kattering	
	CHAINS NOTED	P. Bishop	
	FINISHED GRADINGS CHECKED		



PLATE 1—PLAN-PROFILE O. P. R. & R. E. STANDARD
THE FREDERICK POST CO. CHICAGO

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	17	68

DIVISION JOB NO. 3319

BENCH MARKS

STA.	DESCRIPTION	ELEV.
315+75	Spike in 12" Elm 40' Lt.	91.98

PLAN — DRAWN BY D. BISHOP — DATE
TRACED — CHECKED
NOTE BOOK No. 3484 — ALIGNMENT CHECKED — ALL BK'S NOTED — RT. OF WAY CHECKED — DIFFERENCE IN LOCATIONS CHECKED
PROFILE — TRACED — CHECKED — GRADES CHECKED — ALL BK'S NOTED — DIFFERENCE IN LOCATIONS CHECKED
NOTE BOOK No. 3487

FRANZ ESTATE

CULTIVATED

STA. 305+62
13' SPAN, 16' ROADWAY
BRIDGE. STONE ABUTS.
PLANK FLOOR. POOR
CONDITION. REMOVE.

STA. 307+98
15½' SPAN. 16' ROADWAY
BRIDGE. STONE ABUTS.
CONCRETE FLOOR. POOR
CONDITION. REMOVE.

STA 311+00
18"×36' PIPE REQ'D
UNDER SIDE ROAD

253° 10'

P.I. - STA. 314+47.2

L. HOGAR

CULTIVATED

I. = 73° 10'
D = 7°
T = 607.8'
L = 1045.2
S.E. = .07' PER '

P.C. - 308+39.2

P.T. - 318+85.4

W. BROOKS

CULTIVATED

P.I. - 330+05.2
I - 68° 13'
D - 7°
T - 554.1
L - 974.2
S.E. = .07' PER FT.

MARSH

N 88° 45' E

S 18° 05' E

NET LENGTH OF ℄ STA 300+00 TO 318+00 = 1800 LIN. FT.
" " " " " 318+00 TO 330+00 = 1200 LIN. FT.

STA 305+62
2-60"×50' PIPES REQ'D
I.EL. = 78.5 D.EL. = 78.5
REINF. STEEL IN PAVE. 510 LBS.
1 TYPE "C" CULV. POST REQ'D

STA 307+98
3-60"×50' PIPES REQ'D
I.EL. = 78.5 D.EL. = 78.5
REINF. STEEL IN PAVE. 510 LBS.
1 TYPE "C" CULV. POST REQ'D

0.00%

+0.33%

+1.01%

-0.48%

200' V.C.

500' V.C.

P.C. = 308+50
EL = 84.59

P.I. = 309+50
EL = 84.59

P.T. = 310+50
EL = 84.92

P.C. = 320+50
EL = 88.22

P.I. = 321+50
EL = 88.55

P.T. = 322+50
EL = 89.56

P.C. = 324+50
EL = 92.58

P.I. = 325+50
EL = 93.11

P.T. = 328+00
EL = 93.91

302+17 - 329+42
C = 5061 C.Y. - F = 4048 C.Y.

302+17 - 318+00
C = 1214 C.Y. - F = 3250 C.Y.

318+00 - 329+42
C = 3847 C.Y. - F = 798 C.Y.

329+42 - 332+10
C = 380 C.Y.
F = 302 C.Y.

MILE 6 7

300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332
84.59	84.59	84.59	84.59	84.59	84.59	84.59	84.59	84.59	84.61	84.77	85.08	85.41	85.74	86.07	86.40	86.73	87.06	87.39	87.72	88.05	88.42	89.09	90.06	91.07	92.08	93.05	93.76	94.18	94.29	94.11	93.67	93.23

PLATE 1—PLAN-PROFILE O. P. R. & B. E. STANDARD
THE FREDERICK POST CO. CHICAGO

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	18	68

DIVISION JOB NO. 3319

BENCH MARKS

STA.	DESCRIPTION		ELEV.
334+25	Spike in Twin Elm	45' Rt.	94.19
353+85	Spike in 24" Elm	30' Lt.	90.74

P.I. = 330+05.2
I = 68°13'
D = 7°
T = 554.1
L = 974.5
S.E. = 0.07' PER FT.

STA. 342+81
18" x 20' PIPE
FAIR CONDITION
REMOVE

STA. 359+46
3'-1½" x 28' CONC. CUL.
GOOD CONDITION
REMOVE.

W. BROOKS PASTURE

C. REDLIN CULTIVATED

C. L. KING PASTURE

P.E.

H.O.

P.T. - 334+25

111° 7'

37°

330

S 86° 18' E

334 338 340 345 350 355 360

EQUATION
STA. 334 - 338 = 91.5'

P.I. - 330+05.2

L. HOGAR

W. BROOKS CULTIVATED

STA. 332+50
18" x 16' PIPE
GOOD CONDITION
REMOVE

C. REDLIN PASTURE

C. L. KING CULTIVATED

STA. 356+13
24" x 20' PIPE
GOOD CONDITION
REMOVE

PASTURE

MISC. QUANTITIES FOR MILE 7

ITEM	TYPE	LOCAT.	STA TO STA.		UNIT	AM'T	TOTAL
LIP CURB	"C"	R.	316+00	320+25	LIN. FT.	225	
" "	"C"	L.	323+10	336+73	" "	1254	1479
LIP CURB OUTLETS	ST'D.	L.	323+10		C.Y.	2	
" " "	ST'D.	L.	333+00		C.Y.	2	4
STEEL IN OUTLETS	ST'D.		TOTAL FOR MILE		LBS.	350	350
GUARD FENCE	"C"	R. & L.	370+52	371+00	POSTS	8	8
R.O.W. MARKERS	STD.		TOTAL FOR MILE		NO.	16	16
PRIV. ENTR. PIPES	18"	L	330+50		LIN. FT.	20	
" " "	18"	R. & L.	343+30		" "	40	
" " "	18"	R. & L.	356+50		" "	40	
" " "	18"	R. & L.	360+25		" "	40	140

LOCATION OF PIPE CULV. UNDER PRIV. ENTR. TO BE DETERMINED BY ENGINEER IN FIELD

PLAN — SURVEYED — BY — DATE — NOTE BOOK — PLOTTED — CHECKED — No. 5437

PROFILE — SURVEYED — P. A. Hoop — NOTE BOOK — GRADES CHECKED — W. Katherine — No. 5437

NET LENGTH OF ℄ 330+00 TO 360+00 = 2691.6 LIN. FT.

STA 332+50
24" x 50' PIPE REQ'D
I. EL. = 89.8 D. EL. = 89.3
DIST. 22' LT. - 28' RT.
REINF. STEEL IN PAVE. 255 LBS.
1 TYPE "C" CULV. POST REQ'D

STA 359+46
2-30" x 50' PIPES REQ'D
I. EL. = 83.2 D. EL. = 82.7
REINF. STEEL IN PAVE. 255 LBS.
1 TYPE "C" CULV. POST REQ'D

-0.48% 300' V.C. +0.51% 400' V.C. -0.30% 400' V.C. -1.10% 400' V.C. +0.10%

PC = 331+50 EL = 93.43
PI = 333+00 EL = 92.71
PT = 334+50 EL = 93.47
PC = 338+50 EL = 93.93
PT = 340+50 EL = 94.35
PC = 342+50 EL = 94.35
PC = 353+00 EL = 91.20
PI = 355+00 EL = 90.60
PT = 357+00 EL = 88.40
PC = 359+00 EL = 86.20
PT = 361+00 EL = 86.40

91.6'

100 90 80

332+10 - 340+45	340+45 - 348+15	348+15 - 350+26	350+26 - 354+48	354+48 - 357+11	357+11 - 361+33
C = 648 C.Y.	C = 904 C.Y.	C = 200 C.Y.	C = 457 C.Y.	C = 243 C.Y.	C = 426 C.Y.
F = 520 C.Y.	F = 722 C.Y.	F = 161 C.Y.	F = 365 C.Y.	F = 194 C.Y.	F = 341 C.Y.

94.11	93.61	93.23	93.08	93.26	93.68	94.16	94.47	94.57	94.47	94.20	93.90	93.60	93.30	93.00	92.70	92.40	92.10	91.80	91.50	91.20	90.80	90.20	89.40	88.40	87.45	86.80	86.45	86.40	86.50				
330	331	332	333	334	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362				

STA. 334 TO 338 = 91.5'

PLATE 1--PLAN-PROFILE O. P. R. & R. E. STANDARD
THE FREDERICK POST CO., CHICAGO

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	3319	19	68

DIVISION JOB NO. 3319

PLAN — SURVEYED: P. BISSOP; PLOTTED: W. HEMMING; GRADES CHECKED: A.N.; TIES TO PROPERTY LINES, ALIGNMENT CHECKED, ETC. OF WAY CHECKED; DESIGNED BY: ROTHMAN; CHECKED: NOTE BOOK No. S-68; DATE: P. BISSOP



LOCATION OF PIPE CULV. UNDER PRIV. ENTR. TO BE DETERMINED BY ENGINEER IN FIELD

MISC. QUANTITIES FOR MILE 8

ITEM	TYPE	LOCAT.	STA. TO STA.		UNIT	AM'T.	TOTAL
GUARD FENCE	"C"	R	371+00	377+06	POSTS	39	
" "	"C"	L	371+00	376+60	"	36	75
R.O.W. MARKERS	ST'D.		TOTAL FOR MILE		NO.	4	4
PRIV. ENTR. PIPES	18"	L	378+50		LIN. FT.	20	
" " "	18"	R	381+80		" "	20	40
AMOR PROTECTION	ST'D.		372+80		" "	40	40
ADD. CONC. PAV'T.	-		372+80		SQ. YDS.	3	3
REINF. STEEL IN PAV'T.	ST'D		372+80		LBS.	272	272

BENCH MARKS

STATION	DESCRIPTION	ELEV.
369+85	18" MAPLE 95' LT.	90.72
383+50	15" ELM 25' LT.	89.53

PROFILE — SURVEYED: P. BISSOP; PLOTTED: W. HEMMING; GRADES CHECKED: A.N.; TIES TO PROPERTY LINES, ALIGNMENT CHECKED, ETC. OF WAY CHECKED; DESIGNED BY: ROTHMAN; CHECKED: NOTE BOOK No. S-68; DATE: P. BISSOP

NET LENGTH OF ℄ 360+00 TO 371+00 = 1100 L.F.
371+00 TO 385+74 = 1474 L.F.

366+68 PLACE 24"X46' PIPE CULV.
I. ELEV. 84.2 D. ELEV. 83.7
REINF. STEEL IN PAV'M'T. 255 LBS.
GUARD POST — 1 TYPE "C"

373+71 PLACE 36"X62' PIPE CULV.
I. ELEV. 80.5 D. ELEV. 80.0
REINF. STEEL IN PAV'M'T. 255 LBS.
GUARD POST — 1 TYPE "C"



PLATE 1 — PLAN-PROFILE © P.B.&R.E. STANDARD
THE FREDERICK POST CO., CHICAGO

CULVERT SCHEDULE

SHEET No. 1

NAME OF ROAD **COLOMA-OSHKOSH** WIDTH OF ROADWAY **30 FT.** TYPE OF SURFACING **20 FT. CONC.** COUNTY **WINNEBAGO - S. A.** PROJ. NO. **3319** DIV. JOB NO. **3319**

Mile No.	Plan Sheet No.	Station	SIZE Width	SIZE Height	SIZE Length	KIND OF CULVERT	TYPE	INLET ENDWALL Square-Sloping-Flared	INLET ENDWALL Finish Above Opening	INLET ENDWALL Slope	INLET ENDWALL Drop Inlet or Breaker Wall Reqd.	DISCH. ENDW. Square-Sloping-Flared	DISCH. ENDW. Slope	PLACE CULV. Left From ℄	PLACE CULV. Right From ℄	ELEV. BOT. BBL Disch.	ELEV. BOT. BBL Inlet	FLOW Left	FLOW Right	CONC. IN CULV.	STEEL IN CULV.	LOCATION	REMARKS
1	7	28+34	60"		108'	PIPE										81.0	81.0	L				UNDER CENTERLINE	REMOVE 60"X18' PIPE
1	7	2+00	18"		40'	"								L	R							UNDER PRIV. ENTR.	
1	8	34+00	18"		20'	"									R							" " "	
1	8	48+50	18"		20'	"								L								" " "	
1	8	50+00	18"		20'	"									R							" " "	
2	9	68+10	24"		46'	"										85.4	85.8	L				UNDER CENTERLINE	REMOVE 18"X16' PIPE
2	9	79+82	24"		92'	"										87.4	87.9	L				" "	REMOVE 24"X20' "
2	9	65+00	18"		40'	"								L	R							UNDER PRIV. ENTR.	
2	9	79+00	18"		40'	"								L	R							" " "	
2	9	90+00	24"		44'	"								L	R							" " "	
2	10	105+00	18"		40'	"								L	R							" " "	
3	10	116+96	24"		46'	"										133.9	134.4	L				UNDER CENTERLINE	REMOVE 18"X34' PIPE
3	11	145+68	48"		48'	"										137.7	138.2	L				" "	REMOVE 54"X28' "
3	11	158+39	24"		48'	"										151.9	152.4		R			" "	REMOVE 18"X18' "
3	11	123+25	18"		40'	"								L	R							UNDER PRIV. ENTR.	
3	11	140+75	18"		20'	"								L								" " "	
3	11	143+90	18"		20'	"									R							" " "	
3	11	152+50	18"		20'	"									R							" " "	
3	11	155+10	18"		20'	"								L								" " "	
3	10	120+00	24"		44'	"								L	R							" " "	
4	12	172+19	36"		48'	"										151.3	151.7		R			UNDER CENTERLINE	REMOVE 36"X34' PIPE
4	13	211+13	24"		50'	"										178.7	179.2		R			" "	REMOVE 18"X18' PIPE
4	12	163+00	18"		20'	"									R							UNDER PRIV. ENTR.	
4	12	163+40	18"		20'	"								L								" " "	
4	12	165+80	18"		20'	"								L								" " "	
4	12	178+10	24"		22'	"								L								" " "	
4	13	182+60	24"		22'	"									R							" " "	

SUMMARY OF PIPE CULVERTS

TYPE	CORRUGATED SHEET METAL PIPE (Total Lineal Feet) Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	CAST IRON PIPE Diam.	CAST IRON PIPE Total Lineal Feet	Diam.	Total Lineal Feet	CONCRETE PIPE Diam.	CONCRETE PIPE Total Lineal Feet	Diam.	Total Lineal Feet
Pure Iron																				
Copper Pure Iron																				
Copper Iron																				
Molybdenum																				
Copper Steel																				

CULVERT SCHEDULE

SHEET No. 2

NAME OF ROAD **COLOMA-OSHKOSH** WIDTH OF ROADWAY **30 FT.** TYPE OF SURFACING **20 FT. CONC.** COUNTY **WINNEBAGO S. A.** PROJ. NO. **3319** DIV. JOB NO. **3319**

Mile No.	Plan Sheet No.	Station	SIZE Width	SIZE Height	SIZE Length	KIND OF CULVERT	TYPE	INLET ENDWALL Square-Sloping-Flared	INLET ENDWALL Finish Above Opening	INLET ENDWALL Slope	INLET ENDWALL Drop Inlet or Breaker Wall Reqd.	DISCH. ENDW. Square-Sloping-Flared	DISCH. ENDW. Slope	PLACE CULV. Left From ℄	PLACE CULV. Right From ℄	ELEV. BOT. BBL Disch.	ELEV. BOT. BBL Inlet	FLOW Left	FLOW Right	CONC. IN CULV.	STEEL IN CULV.	LOCATION	REMARKS
4	13	183+40	24"		22'	PIPE								L								UNDER PRIV. ENTR.	
4	13	200+10	24"		22'	"									R							" " "	
4	13	209+25	24"		22'	"								L								" " "	
5	14	221+07	24"		50'	"										178.1	178.6		R			UNDER CENTERLINE	REMOVE 15"X24" PIPE
5	14	232+50	18"		40'	"								L	R							UNDER PRIV. ENTR.	
5	14	239+50	18"		20'	"									R							" " "	
5	15	245+70	18"		20'	"								L								" " "	
5	15	256+25	24"		22'	"								L								" " "	
5	15	263+75	24"		22'	"									R							" " "	
6	17	305+42	60"		100'	"										78.5	78.5		R			UNDER CENTERLINE	REMOVE 13' SPAN BRIDGE
6	17	307+98	60"		150'	"										78.5	78.5		R			" "	" 15.5' " "
6	15	267+57	24"		30'	"								L								UNDER SIDE ROAD	
6	17	311+00	18"		36'	"								L								" " "	
6	16	273+90	24"		22'	"								L								UNDER PRIV. ENTR.	
6	16	276+90	24"		22'	"									R							" " "	
6	16	289+50	24"		22'	"								L								" " "	
6	16	291+50	24"		22'	"									R							" " "	
6	16	293+80	24"		22'	"								L								" " "	
6	17	306+00	18"		20'	"									R							" " "	
7	18	332+50	24"		50'	"										89.3	89.8		R			UNDER CENTERLINE	REMOVE 18"X16' PIPE
7	18	359+46	30"		100'	"										82.7	83.2		R			" "	" 3'X1.5'X28' CONC. CULV.
7	19	366+60	24"		46'	"										83.7	84.2		R			" "	" 12"X22' PIPE
7	17	330+50	18"		20'	"								L								UNDER PRIV. ENTR.	
7	18	343+30	18"		40'	"								L	R							" " "	
7	18	356+50	18"		40'	"								L	R							" " "	
7	19	368+25	18"		40'	"								L	R							" " "	

SUMMARY OF PIPE CULVERTS

TYPE	CORRUGATED SHEET METAL PIPE (Total Lineal Feet) Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	Diam.	CAST IRON PIPE Diam.	CAST IRON PIPE Total Lineal Feet	Diam.	Total Lineal Feet	CONCRETE PIPE Diam.	CONCRETE PIPE Total Lineal Feet	Diam.	Total Lineal Feet
Pure Iron																				
Copper Pure Iron																				
Copper Iron																				
Molybdenum																				
Copper Steel																				

AID PROJ. NO. | SHEET NO. | TOTAL SHEETS

DIVISION JOB NO.

SHEET No. 3

CULVERT SCHEDULE

NAME OF ROAD **COLOMA - OSHKOSH** WIDTH OF ROADWAY **30 FT.** TYPE OF SURFACING **20 FT. CONC.** COUNTY **WINNEBAGO** S. A. PROJ. NO. **3319** - DIV. JOB NO. **3319**

Mile No.	Plan Sheet No.	Station	SIZE Width	SIZE Height	SIZE Length	KIND OF CULVERT	TYPE	INLET ENDWALL Square-Sloping-Flared	INLET ENDWALL Finish Above Open'g.	INLET ENDWALL Slope	INLET ENDWALL Drop Inlet or Breaker Wall Reqd.	DISCH. ENDW. Square-Sloping-Flared	DISCH. ENDW. Slope	PLACE CULV. Left From ℄	PLACE CULV. Right From ℄	ELEV. BOT. BBL. Disch.	ELEV. BOT. BBL. Inlet	FLOW Left	FLOW Right	CONC. IN CULV.	STEEL IN CULV.	LOCATION	REMARKS
8	19	373+71	36"		62'	PIPE										80.0	80.5		R.			UNDER CENTERLINE	REMOVE 3.5'X3'X24' STONE CULV.
8	19	379+10	18"		30'	"								L								UNDER SIDE ROAD	
8	19	378+50	18"		20'	"								L								UNDER PRIV. ENTR.	
8	19	381+80	18"		20'	"									R							" " "	

SUMMARY OF PIPE CULVERTS

TYPE	CORRUGATED SHEET METAL PIPE (Total Lineal Feet) 18 Diam.	24 Diam.	30 Diam.	36 Diam.	48 Diam.	60 Diam.	___ Diam.	___ Diam.	___ Diam.	___ Diam.	___ Diam.	___ Diam.	CAST IRON PIPE Diam.	Total Lineal Feet	Diam.	Total Lineal Feet	CONCRETE PIPE Diam.	Total Lineal Feet	Diam.	Total Lineal Feet
Pure Iron																				
Copper Pure Iron																				
Copper Iron																				
Molybdenum																				
Copper Steel																				
TOTAL	746	810	100	110	48	358														



STANDARD DESIGN REINFORCING FOR BRIDGE APPROACHES

BILL OF REINFORCING FOR ONE END				
BAR	18' PAVEMENT		20' PAVEMENT	
	NO.	LENGTH	NO.	LENGTH
A	24	8'-6"	24	9'-6"
B	36	18'-0"	40	18'-0"
C	36	16'-0"	40	16'-0"
TOTAL STEEL		1215 Lbs.		1350 Lbs.

NOTE:- All reinforcement is ½" square deformed bars. Place longitudinal bars 2" from bottom of slab and transverse bars on top of these. Wire longitudinal and transverse bars securely together to form separate mats on each side of parting strip.



NOTE: For other widths of pavement, vary the 25½ spaces. All reinforcement is ½"ø deformed bars 30' long 10 required. Weight = 255 lbs.

No reinforcing steel is to extend thru expansion joints. Vary spacing of transverse expansion joints if necessary.

PAVEMENT REINFORCING OVER CULVERT



Construction joint with ½"x3' tie bars when placed at edge of pavt or standard expan. joint with std dowels when placed at end of pavement.

CONCRETE HEADER BLOCK



METHODS OF CONNECTING CONC. PAV'T WITH BRIDGE STRUCTURES



SECTION AT RIGHT ANGLES TO TRACK SHOWING REINFORCING

ARMOR PROTECTION AT R.R. CROSSING

NOTE FOR STANDARD DESIGN OF RAILROAD CROSSING APPROACH SHOWING ARMOR PROTECTION:

Protect ends of pavement at railroad crossings as shown.

Pavement to be flat. Crown to be worked out in 25 feet.

Additional concrete required in pavement to be converted in Sq. Yds. of standard concrete pavement and paid for as such.

Armor protection shown to be measured by the linear foot and paid for at the contract unit price bid in the proposal for "Armor Protection" which price shall be full compensation for furnishing complete in place.

STANDARD DESIGN

PAVEMENT REINFORCING FOR BRIDGE APPROACHES CULVERTS & RAILROAD CROSSINGS - ALSO ST'D DESIGN OF CONCRETE HEADER BLOCK

Recommended for Approval: J. Snare
PLAN & SURVEY ENGR.

Approved: C. M. Rose
STATE HIGHWAY ENGINEER

Date: 2/18/30

C-39



CROSS SECTION OF STD. ONE COURSE PORTLAND CEMENT CONCRETE PAVEMENT

SECTION AREA = 11.68 SQ. FT. WHEN "W" = 20 FT.
" " = 10.60 SQ. FT. " "W" = 18 FT.



Transverse joints to be cut to same section as pavement and punched for dowels.

STD. PREMOLDED TRANSVERSE EXPANSION JT. DETAIL



SECTION SHOWING DOWELS THRU TRANSVERSE EXPANSION JOINTS



DETAIL OF ROUND SHEET METAL DOWEL SOCKET

PARTING STRIP PIN



APPROVED ALTERNATE TYPES OF LONGITUD. JOINTS



STANDARD PARTING STRIP FOR LONGITUD. JOINTS

Adjacent strips shall be held together by a butt joint rigidly connected or lapped at least 2 inches and securely fastened by the pin.

The design of strips, its details and its method of installation shall be in accordance with design here shown, or shall meet approval of the engineer.

If necessary, wood blocks shall be used to help keep the strip at the proper elevation.

CONSTRUCTION NOTES:

Do not edge pavement where Lip type curb is to be placed.

Weakened plane type longitudinal joints shall be constructed by forming a groove or indentation in the surface after the concrete has been struck off to the required cross section. The method or devices for forming the groove must produce results satisfactory to the engineer.

All expansion joints and weakened plane longitudinal joints shall be filled and refilled in accordance with the requirements of the standard specifications.

All bar chairs shall be designed to hold all dowels and tie bars in the specified position.

Joint material to extend ½ inch below bottom of pavement. Normal spacing of transverse expansion joints not less than 47 feet and not more than 50 feet.

The unit price of joints longer than standard on widened curves and intersections will be adjusted in the ratio of the unit price bid to the std. joint.

STANDARD DESIGN

ONE COURSE PORTLAND CEMENT CONCRETE PAV'T & TRANSVERSE EXPANSION JOINT DETAIL

WISCONSIN HIGHWAY COMMISSION

Recommended for Approval: J. Snare
PLAN & SURVEY ENGR.

Approved: C. M. Rose
STATE HIGHWAY ENGINEER

Date: 2/18/30

C-40

AID SHEET NO. | TOTAL NO. SHEETS

JOB NO.



CONSTRUCTION NOTES:

The lip curb may be constructed from concrete which is mixed the same as the concrete in the pavement slab or the coarse aggregate may be reduced for workability, holding the same cement-sand ratio which is used in the pavement slab.

No surface drain shall be installed at edge of bridge approach or at expansion or contraction joints.

Each surface basin shall be dowelled to the pavement slab by 4'-0" square deformed bars spaced as shown on basin details. Use bent dowel with one end covered with paste board tube or strips of steel center plate placed in the edge of pavement slab adjacent to the forms. These plates shall be punched in the field to accommodate dowel bars. The dowel bars shall be bent at right angles in the middle and installed in the pavement slab having one end of each bar placed in the groove so that the bars can be straightened after pavement form is removed.

Where lip curb is not monolithic with slab, sixty penny spikes are to be inserted in the slab one (1) ft apart and two (2) in from outside edge.

Details of construction for lip curb and surface drains not covered on the plan shall conform to the pertinent requirement of the Std Road + Bridge Specifications.

All bars of #3 Deformed

BILL OF BARS

Bar	Number 42 Tons & Under Grade	Number Over 42 Tons Grade	Length 42 Tons & Under Grade	Length Over 42 Tons Grade
C	5	5	6'-9"	6'-9"
D	1	2	4'-0"	4'-0"
F			3'-9"	3'-9"
G	1	1	4'-3"	4'-6"
H	1	1	5'-3"	6'-6"
I	1	1	6'-6"	8'-6"
J	1	1	7'-6"	10'-6"
K	1	1	8'-6"	12'-6"
L	1	1	9'-9"	14'-6"
M	1	1	11'-0"	16'-6"
E	1	1	9'-0"	14'-6"

QUANTITIES:

Conc. Surf. Basin (Small)	0.90 C.Y.
Conc. Surf. Basin (Large)	1.20 C.Y.
Steel Surf. Basin (Small)	85 Lbs.
Steel Surf. Basin (Large)	110 Lbs.
Conc. Surf. Drain	0.075 C.Y. Ft./Ft.
Steel Surf. Drain	.58 Lbs. Ft./Ft.
Conc. Header	0.33 C.Y.
Conc. in Ditch	0.074 C.Y. Ft./Ft.
Steel in Ditch	6 Lbs. Ft./Ft.
Conc. in Splash Wall	0.44 C.Y.
Steel in Splash Wall	9 Lbs.

STANDARD DESIGN
LIP CURB-TYPES A, B & C AND CONCRETE SURFACE DRAIN (ON GRADE)
WISCONSIN HIGHWAY COMMISSION

Recommended for Approval: J. Crane, PLAN & SURVEY ENGR.

Approved: W. T. Bruton, STATE HIGHWAY ENGINEER

Date 7-1-47

C-41



CONSTRUCTION NOTES:

The Lip Curb may be constructed from concrete which is mixed the same as the concrete in the pavement slab or the coarse aggregate may be reduced for workability holding the same cement ratio which is used in the pavement slab. Where the curb is not monolithic with the slab, sixty penny spikes are to be inserted in the slab one (1) ft. apart and two (2) inches from outside edge.

No Surface Drain shall be installed at edge of bridge approach or at expansion or contraction joints.

Each Surface Basin shall be dowelled to the pavement slab by 4'-0" square deformed bars spaced as shown on Basin details. Use bent dowel with one end covered with pasteboard tubes or strips of steel center plate (parting strip) placed in the edge of pavement slab adjacent to the forms. These plates shall be punched in the field to accommodate dowel bars. The dowel bars shall be bent at right angles in the middle and installed in the pavement having one end of each bar placed in the groove so that bars can be straightened after pavement form is removed.

Details of construction for lip curb and surface drains not covered on the plan shall conform to the pertinent requirement of the Std Road & Bridge Specifications.

BILL OF BARS

Bar	No.	Length	Bar	No.	Length
C	5	6'-9"	Q	1	6'-6"
D	2	4'-0"	R	1	7'-6"
E	2	6'-0"	S	1	8'-9"
N	1	3'-9"	T	1	10'-0"
O	1	4'-3"	U	1	11'-0"
P	1	5'-6"			

Steel Bars to be ½" square deformed.

QUANTITIES:

Conc. Surf. Basin	0.90 C.Y.
Steel Surf Basin	91 Lbs.
Conc. Surf. Drain	0.75 C.Y. Ft./Ft.
Steel Surf. Drain	58 Lbs. Ft./Ft.
Ditch Conc.	.074 C.Y. Ft./Ft.
Ditch Steel	6 Lbs. Ft./Ft.
Conc. Splash Wall	0.44 C.Y.
Steel Splash Wall	9 Lbs.
Conc. Header	0.33 C.Y.

STANDARD DESIGN
LIP CURB-TYPES A, B & C AND CONCRETE SURFACE DRAIN (LOW POINT)
WISCONSIN HIGHWAY COMMISSION

Recommended for Approval: J. Crane, PLAN & SURVEY ENGR.

Approved: W. T. Bruton, STATE HIGHWAY ENGINEER

Date 7-1-47

C-42

SHEET NO. | TOTAL SHEETS

JOB NO.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	24	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT 2 ROCK	YARDAGE CUT 3 ROCK	YARDAGE TOTAL CUT	YARDAGE TOTAL FILL
0									
				23					54
1									
				41					63
2									
				37					22
3									
				87					18
4									
				61					35
5									
				48					43
6									
				57					43
7									
				70					37
8									
				39					52
9									
				35					78
10									
				24					72
11									
				20					61
12									

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	25	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCES	YARDAGE CUT EARTH	YARDAGE CUT 1.3 FACT.	YARDAGE CUT SHRINK	YARDAGE TOTAL FILL
12								
13				122				
13				4				157
14				0				178
15				0				220
16				0				252
17				0				213
18				0				228
19				0				272
20				0				308
21				0				317
22				0				296
23				0				287
24				0				272
25				0				272
26								
TOTAL				17				3406

C. 0 F. 71

C. 0 F. 58

C. 0 F. 66

C. 0 F. 70

C. 0 F. 49

C. 0 F. 47

C. 2 F. 38

C. 0 F. 79

C. 0 F. 71

C. 0 F. 77

C. 0 F. 78

C. 0 F. 82

C. 0 F. 89

C. 0 F. 76

FINAL SURVEY — SURVEYED ___ BY ___ PLOTTED ___ BY ___ NOTE BOOK ___ PAGE ___ AREAS CHECKED ___ NO. ___ DATE ___

ORIGINAL SURVEY — SURVEYED ___ BY ___ PLOTTED ___ BY ___ NOTE BOOK ___ PAGE ___ AREAS CHECKED ___ NO. ___ DATE ___

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	26	68

DIVISION JOB NO. 3319

FINAL SURVEY	SURVEYED	BY
	PLOTTED	
NOTEBOOK	REVISED	
NO.	CHECKED	

ORIGINAL SURVEY	SURVEYED	BY
	PLOTTED	
	REVISED	
	CHECKED	

C. O F. 79

C. O F. 78

C. O F. 77

C. O F. 75

C. O F. 74

C. O F. 54

C. O F. 73

C. O F. 56

C. O F. 63

C. O F. 65

C. O F. 71

C. O F. 64

C. O F. 76

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT L. ROCK	YARDAGE CUT S. ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL
26									
					0			0	221
27									
					0			0	226
28									
					0			0	237
29									
					0			0	275
30									
					0			0	291
31									
					0			0	265
32									
					0			0	227
33									
					0			0	227
34									
					0			0	233
35									
					0			0	250
36									
					0			0	228
37									
					0			0	257
38									
					0			0	220
39									
TOTAL					0			0	3525

PLATE 3—CROSS SECTION C. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	27	69

DIVISION JOB NO. 3319

ORIGINAL SURVEY — SURVEYED / PLOTTED / NOTE BOOK / NO. — DATE / BY / AREAS CHECKED

FINAL SURVEY — SURVEYED / PLOTTED / NOTE BOOK / NO. — DATE / BY / AREAS CHECKED

C. 16 F. 18

C. 16 F. 18

C. 17 F. 18

C. 20 F. 13

C. 11 F. 14

C. 7 F. 20

C. 0 F. 49

C. 25 F. 17

C. 25 F. 26

C. 13 F. 25

C. 32 F. 3

C. 55 F. 0

C. 37 F. 0

C. 16 F. 17

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL
39								
				0				181
40								
				13				130
41								
				33				78
42								
				37				30
43								
				69				57
44								
				61				67
45								
				59				67
46								
				59				65
47								
				93				32
48								
				170				0
49								
				161				6
50								
				83				52
51								
				70				94
52								
				93				90
53								
TOTAL				1026				823
MILE / TOTALS				1675				8350
TOTAL								

PLATE 3—CROSS SECTION O. P. R. & P. R. STANDARD
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	20	68
	DIVISION	JOB NO.	3319	

FINAL SURVEY: SURVEYED, PLOTTED, NOTE BOOK, INDEX, CROSS CHECKED, DATE

ORIGINAL SURVEY: SURVEYED, PLOTTED, TEMPLATE, INDEX, CROSS CHECKED, DATE

C. 0 F. 27 54

C. X 0 F. 24 45

C. 15 F. 23

C. 12 F. 34

C. 16 F. 39

C. 42 F. 8

C. 31 F. 12

C. 0 F. 33 68

C. 0 F. 34 58

C. 2 0 F. 34 60

C. 9 0 F. 18 30

C. 8 0 F. 16 34

C. 7 0 F. 26 50

C. 0 F. 27 52

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE CUT DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE FILL	YARDAGE TOTAL	YARDAGE TOTAL FILL
53					104				54
54					135				37
55					107				87
56					52				135
57					50				105
58				28					126
59				30					95
				0					103
60				30					198
61				0					103
				2					102
62				0					156
				27					154
63				0					153
				27					153
64				0					115
				28					89
65				0					103
				4					122
66				0					233
									232
67									
TOTAL				176					2032
				232					2032

PLATE 3--CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO. NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	29	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT S. ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL FILL
67									
				0					261
									259
68									269
				0					259
69									241
				9					237
				4					
70									183
				56					225
				37					
71									94
				226					69
				197					
72									
				115					20
				228					
73									
				537					2
				538					
74									
				537					0
				539					
75									
TOTAL					1055 T			669	1079
					1080				

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

FINAL SURVEY — DATE — BY — SURVEYED — PLOTTED — NOTE BOOK — AREAS — AREAS CHECKED

ORIGINAL SURVEY — DATE — BY — SURVEYED — PLOTTED — NOTE BOOK — No. 5894 — AREAS — AREAS CHECKED

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	30	68

DIVISION JOB NO. 3319

FINAL SURVEY	DATE
SURVEYED	
PLOTTED	BY
TEMPLATE	
NOTE BOOK	AREA
NO.	AREAS CHECKED

ORIGINAL SURVEY	DATE
SURVEYED	
PLOTTED	BY Bishop Esser
TEMPLATE	
NOTE BOOK 5424	AREA
NO.	AREAS CHECKED

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT L. ROCK	YARDAGE CUT S. ROCK	YARDAGE TOTAL CUT	YARDAGE TOTAL FILL
75					574				
					325				0
76					429				
					239				9
77					349				
					153				70
					154				
					35				178
78					135				
					28				
79					17				130
80									
									154
81									
					82				108
82									
					161				80
83									
84									
TOTAL					1053				971
					1864				

PLATE 3—CROSS SECTION O. P. R. & P. E. STANDARD

KEUFFEL & ESSER CO. NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	31	68

DIVISION JOB NO. 3319

FINAL SURVEY	DATE
SURVEYED	
PLOTTED	
NOTE BOOK	
AREA	
NO.	AREA CHECKED

ORIGINAL SURFACE	DATE
SURVEYED	
PLOTTED	
NOTE BOOK	
AREA	
NO.	AREA CHECKED

BY Bishop
Engr

E 22
C 19

E 18
C 19

E 19
C 22

E 12
C 50

E 10
C 44

E 13
C 44

E 7
C 53

E 12
C 61

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE TOTAL	YARDAGE TOTAL FILL
84								
				220				55
86								
				214				36
86								
				180				37
87								
				163				43
88								
				137				41
89								
				96				57
90								
				70				68
91								
				59				74
92								
TOTAL					1136			410

PLATE 3—CROSS-SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	32	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT STRUCT.	YARDAGE TOTAL FILL
92								
				70				37
93								
				80				92
94								
				89				96
95								
				119				67
96								
				133				37
97								
				128				42
98								
				82				100
99								
				24				174
100								
TOTAL					725			697

F 53 G 9 — 3.5% 0.0%

F 41 G 10 — 6.4% 8.6%

F 13 G 38 — 5.6% 2.6%

F 10 G 39 — 6.4% 9.0%

F 10 G 37 — 6.4% 9.0%

F 26 G 27 — 9.5% 4.6%

F 26 G 21 — 9.5% 4.6%

F 25 G 22 — 2.0% 6.5%

FINAL SURVEY — SURVEYED — PLOTTED — AREAS — NOTE BOOK — NO. — DATE — BY — AREAS CHECKED

ORIGINAL SURVEY — SURVEYED — PLOTTED — AREAS — NOTE BOOK 3-3824 — NO. — DATE — BY Bishop Boot — AREAS CHECKED

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD.

KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3519	32	68
	DIVISION	JOB NO.	3319	

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE CUT DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT LOOSE ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL FILL
100								
				19				165
101								
				56				106
102								
				99				82
103								
				133				63
104								
				135				45
105								
				102				56
106								
				TOTAL	543			515
				MILE 2 TOTALS	5685			4453
					6646			5698
106								
				159				33
107								
				208				0
108								
				133				17
109								

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	24	68

DIVISION JOB NO. 3317

FINAL SURVEY — DATE
SURVEYED BY
PLOTTED
NOTE BOOK PAGES
AREAS CHECKED

ORIGINAL SURVEY — DATE
SURVEYED BY Bishop Esser
PLOTTED
NOTE BOOK PAGES
NO. 3317 AREAS CHECKED

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT L. ROCK	YARDAGE CUT S. ROCK	YARDAGE CUT TOTAL	YARDAGE TOTAL FILL
109									
				83					66
110									
				87					80
111									
				116					46
112									
				102					74
113									
				63					115
114									
				67					89
115									
				67					72
116									
				41					104
117									
				56					91
118									
TOTAL				683					738

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	35	68

DIVISION JOB NO. 3319

FINAL SURVEY — DATE — BY — SURVEYED — PLOTTED — PLOTTED — NOTE BOOK — AREAS CHECKED — NO.

ORIGINAL SURVEY — DATE — BY — SURVEYED — PLOTTED — PLOTTED — NOTE BOOK — AREAS CHECKED — NO.



STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT L. ROCK	YARDAGE CUT S. ROCK	YARDAGE CUT TOTAL	YARDAGE TOTAL FILL
118									
				130					30
119									
				107					44
120									
				55					74
121									
				74					59
122									
				57					83
123									
				26					141
124									
				31					178
125									
				37					163
126									
				67					117
127									
TOTAL				604					889

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	36	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT STREET	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL FILL
127									
				37					139
128									
				50					141
129									
				69					59
130									
				122					18
131									
				215					7
132									
				309					0
133									
				246					48
134									
				199					98
135									
TOTAL								1161	506

PLATE 3 - CROSS SECTION O. P. R. & R. 67 STANDARD
KAUFFELD & GEER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	.39 17	37	68
	DIVISION JOB NO.		3317	

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT LOOSE ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL FILL
135								
				122				85
136								
				193				70
137								
				274				37
138								
				320				6
139								
				263				70
140								
				134				198
141								
				87				268
142								
TOTAL					1392			735

PLATE 3—CROSS SECTION. O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	38	65

DIVISION JOB NO. 3319 -1

END AREA CUT			YARDAGE CUT			
STATION	EARTH FILL	ROCK FILL	DISTANCE	EARTH	ROCK	TOTAL
142						
			33			220
143						
			11			121
144						
			9			91
145						
			7			108
146						
			0			124
147						
			0			161
148						
			93			805
149						
			238			175
150						
TOTAL			394			974

PLATE 3H-CROSS-SECTION C. P. R. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	30	68

DIVISION JOB NO. 2719

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL
150								
					319			6
151								
					243			19
152								
					115			44
153								
					68			91
154								
					37			143
155								
					56			154
156								
					72			111
157								
TOTAL					910			570

ORIGINAL SURVEY	BY	DATE
PLOTTED		
COMPUTED		
TRACED		
CHECKED		

FINAL	BY	DATE
SURVEY		
PLOTTED		
COMPUTED		
TRACED		
CHECKED		

PLATE 3 – CROSS SECTION O. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	40	68
	DIVISION	JOB NO. 3319		



STATION	END AREA CUT	FILL	ROCK	EMBANK	DISTANCE	CUMUL	S. ROCK	EXCESS	WASTE	TOTAL CUT	TOTAL FILL
165											
166					50	50					
167					43	93					
168					42	135					
169					67	202					
170					76	278					
171					69	347					
172					42	389					
TOTAL										425	674

C 13 F 36

C 11 F 37

C 13 F 26

C 20 F 17

12 F 21 C 12

C 11 F 29

C 21 F 26

BLADE & C-CROSS SECTION O.P.R.R.E. STANDARD
ASSUME 4:1 SIDE COL PER FOOT.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	534	27	68

DIVISION JOB NO. 5514

STATION	END AREA CUT EARTH	END AREA CUT ROCK	YARDAGE CUT DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL
172							
			26				104
173							
			28				91
174							
			63				63
175							
			91				56
176							
			81				74
177							
			65				85
178							
			83				89
179							
TOTAL			417				562

ORIGINAL SURVEY
Date
Party
Recorded
Inspected
Checked

FINAL SURVEY
Date
Party
Recorded
Inspected
Checked

PLATE 1 - CROSS SECTION O. P. R. R. & P. S. STANDARD
FAIRFIELD ESSEX CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	43	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT 5% ROCK	YARDAGE TOTAL	YARDAGE FILL
179									
				57					89
180									
				70					85
181									
				89					98
182									
				59					156
183									
				72					167
184									
				157					85
185									
				126					120
186									
TOTAL				630					796

PLATE V—CROSS SECTION U. S. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO. NEW YORK

FED. ROAD DIST. NO.	STATE	State Aid PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	44	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE FILL TOTAL	YARDAGE FILL TOTAL
186								
				43				237
187								
				82				196
188								
				141				80
189								
				224				18
190								
				339				0
191								
				369				0
192								
				172				6
193								
TOTAL					1310			537

PLATE 3 - CROSS SECTION C. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	739	45	68
	DIVISION	JOB NO.	5319	

STATION	END AREA CUT LEDGE ROCK	END AREA CUT EARTH	END AREA FILL	DISTANCE	YARDAGE CUT LEDGE ROCK	YARDAGE CUT EARTH	YARDAGE TOTAL CUT	YARDAGE TOTAL FILL
193								
				89				9
194								
				89				7
195								
				78				11
196								
				43				26
197								
				44				13
198								
				96				4
199								
				113				15
200								
				100				67
201								
TOTAL				640				202

PLATE 3—CROSS SECTION O. F. R. & R. S. STANDARD

KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	1319	46	68

DIVISION JOB NO. 2319

STATION	END AREA CUT: PLANTED ROCK	END AREA CUT: PLANTED EARTH	END AREA FILL	YARDAGE DISTANCE	YARDAGE CUT: EARTH	YARDAGE CUT: ROCK	YARDAGE FILL: TOTAL
201				82			126
202				65			156
203				56			148
204				54			113
205				44			63
206				91			18
207				261			4
208				257			46
209							
TOTAL				910			676

FINAL SURVEY: SURVEYED, PLOTTED, NOTE BOOK, CHECKED, NO. — DATE, BY

ORIGINAL SURVEY: SURVEYED, PLOTTED, NOTE BOOK, CHECKED, NO. — DATE, BY

PLATE 3—CROSS SECTION U. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

FED ROAD DIST. NO.	STATE	PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	47	68

DIVISION JOB NO. 3319

STATION	END AREA CUT	DISTANCE	VOLUMES CUT	TOTAL CUT
209		72		174
210			0	258
211			0	318
212		72		750
TOTAL				
MILE 4 TOTALS		6002		4640
213				
214		22		219
215		226		67
216		291		0
217		306		0
		267		46
TOTAL		1002		31

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	28	65
	DIVISION	JOB NO.	3319	



FED. ROAD DIST. NO.	STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	334	49	68

DIVISION JOB NO. 3.519

STATION	END AREA CUT ROCK	END AREA CUT EARTH	DISTANCE	YARDAGE CUT ROCK	YARDAGE CUT EARTH	YARDAGE FILL EARTH	TOTAL EARTH
225							
			333				0
226							
			125				44
227							
			6				99
228							
			33				63
229							
			140				13
230							
			211				7
231							
			157				35
232							
			98				23
233							
TOTAL			1115				365

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	50	68

DIVISION JOB NO. 3275

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT CORRCTN	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL
233									
					94				133
234									
					78				113
235									
					65				85
236									
					65				78
237									
					70				80
238									
					65				96
239									
					67				93
240									
					89				68
241									
TOTAL					593				746

PLATE 31 - CROSS SECTION - A.A.S.H.O. & A.R.E. STANDARD
KRUEGER & KESSEL CO., NEW YORK

FED. ROAD DIST. NO.	STATE	FED. AID PROJECT NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	2212	57	66
	DIVISION	208 NO.	2 212	

FINAL SURVEY
SCALES: 1 INCH = 10 FEET
NOTE: ALL AREAS CHECKED
DATE: 1918
DRAWN: [illegible]
TRACED: [illegible]
CHECKED: [illegible]

END AREA				EARTHWORK			
	CUT			CUT			
STATION	EARTH SQ. FT.	ROCK SQ. FT.	EMBANKMENT SQ. FT.	EARTH CU. YDS.	ROCK CU. YDS.	EMBANKMENT CU. YDS.	REMARKS
241							
				131		32	
242							
				130		61	
243							
				61		68	
244							
				43		65	
245							
				61		34	
246							
				91		135	
247							
				91		43	
248							
				54		83	
249							
TOTAL				663		461	

PLATE 3.—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	52	68

DIVISION JOB NO. 3319

STATION	END AREA CUT	YARDAGE CUT
249		
	72	89
250		
	106	72
251		
	113	83
252		
	87	102
253		
	61	74
254		
	112	63
255		
	130	150
256		
	137	148
257		
TOTALS	843	601

PLATE 3-CROSS SECTION A.P.W.A. & A.R.B.A. Standards
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	53	68
	DIVISION JOB NO.		3319	

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE CUT DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL
257								
				100	135		135	52
258								
				100	74		74	72
259								
				100	13		13	119
260								
				100	20		20	124
261								
				100	79		79	91
262								
				100	122		122	72
263								
				100	124		124	50
264								
				100	89		89	89
265								
				TOTAL	656		656	769
				MILE 5 TOTALS	6104		6104	4617
265								
				100	63		63	81
266								

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	54	66

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE TOTAL	YARDAGE FILL
265								
				25				34
267								
				100				50
268								
				113				57
269								
				135				50
270								
				107				44
271								
				118				39
273								
				133				34
274								
				83				93
TOTAL				679				441

PLATE 9 - CROSS SECTION O.P.R. & R.E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE PROJ. NO.	SHEET NO.	TOTAL SHEETS
2	WISC.	330	55	28
	DIVISION	JOB NO.	3319	

STATION	END AREA CUT						YARDAGE CUT						
	EARTH	ROCK	FILL	DISTANCE	EARTH	L. ROCK	S. ROCK	TOTAL	TOTAL ADJ.				
226									63				
227					41				28				
228					43				16				
229					19				67				
230					94				54				
231					120				82				
232					219				88				
TOTAL					700				391				422



BASE X-CROSS SECTION OF FILL & EXCAVATION
(SLOPES, 1½ TO 1 UNLESS OTHERWISE NOTED)

FED. ROAD DIST. NO.	STATE	STATE AID PROJECT NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3317	56	68

DIVISION JOB NO. 3317

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE CUT EARTH DISTANCE	YARDAGE CUT EARTH YARDS	YARDAGE CUT ROCK YARDS	YARDAGE FILL YARDS
282							
				70			89
283							
				78			73
284							
				38			67
285							
				100			74
286							
				83			81
287							
				82			79
288							
				87			74
289							
				104			54
290							
TOTAL				702			595

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	57	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE FILL TOTAL REDUCED
290							
				128			43
291							
				163			41
292							
				120			37
293							
				137			56
294							
				94			81
295							
				63			59
296							
				97			59
297							
TOTAL					854		400

PLATE 5 — CROSS SECTION - D. F. P. R. & P. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	9317	58	68

DIVISION JOB NO. 3319

FED. ROAD DIV. NO.	STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3317	50	68

DIVISION JOB NO. 3317

STATION	END AREA CUT FILL	END AREA CUT ROCK	END AREA FILL	YARDAGE CUT UNCLASSIFIED	YARDAGE CUT ROCK	YARDAGE FILL	YARDAGE TOTAL
305							
				0			200
306							
				0			101
307							
				9			253
308							
				19			220
309							
				39			306
310							
TOTAL				67			1200

PLATE 3—CROSS SECTION BOOK SAMPLE
PRINTED BY PHOTOSTAT CORP. NEW YORK

FED. ROAD DIST. NO.	STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WIS.	33/9	60	68

DIVISION JOB NO. 5519

STATION	END AREA CUT EARTH	END AREA CUT ROCK	DISTANCE FILL	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE CUT TOTAL	YARDAGE FILL TOTAL
310							
				59			233
311							
				117			208
312							
				231			82
313							
				259			48
314							
				180			117
315							
				119			185
316							
				100			206
317							
				82			250
318							
TOTAL				1147			1336
MILE-6				4636			5950
TOTAL							

PLATE 3 - CROSS SECTION - C. P. R. R. R. E. STANDARD
KEUFFEL & ESSER CO. NEW YORK

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	13/9	61	68

DIVISION JOB NO. 5330

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE FILL CORRECTED EARTH	YARDAGE FILL CORRECTED ROCK
318							
				128		192	
310							
				183		113	
320							
				200		108	
321							
				236		30	
322							
				400		9	
323							
				643		0	
324							
				789		0	
325							
				561		20	
326							
				274		56	
327							
TOTAL				3413		548	

FINAL SURVEY	SURVEYED	DATE
	PLOTTED	
	TRACED	
NOTE BOOK	CHECKED	
NO.	RECOMMENDED	

ORIGINAL SURVEY	SURVEYED	DATE
	PLOTTED	
	TRACED	
NOTE BOOK	CHECKED	
NO.	RECOMMENDED	

PLATE 8 — CROSS SECTION 4' P.C.A.W.E. STANDARD
WATER LEVEL BY VISUAL OBSERVATION

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3319	62	68

DIVISION JOB NO. 5519

STATION	END AREA CUT FILL	DISTANCES	YARDAGE CUT FILL
327			
		204	186
328			
		134	107
329			
		185	83
330			
		170	78
331			
		96	183
332			
		46	230
333			
		56	139
334			
TOTAL		911	900

PLATE 3—CROSS SECTION C. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	PROJECT NO.	SHEET NO.	TOTAL SHEETS
WISC.	119	63	68

DIVISION ENG. NO. 3372

END AREA CUT				YARDAGE CUT			
STATION	CUT	FILL	CUT	FILL	CUT	FILL	
334							
				53		372	
335							
				144		825	
339							
				243		9	
340							
				679		11	
341							
				175		30	
342							
				182		17	
343							
				209		2	
344							
				154		37	
345							
TOTAL				1055		2567	

Original Tracing
Checked by [illegible]
Traced by [illegible]
Date [illegible]

'PLATE 1'—CROSS SECTION U. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

FED. ROAD DIST. NO.	STATE	STATE AID PROJECT NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	276	62	62
	DIVISION OF HIGHWAYS	3273		

STATION	END AREA CUT	END AREA FILL	VARIOUS CUT	VARIOUS FILL
345				
			48	17
346				
			7	28
347				
			0	19
348				
			2	106
349				
			122	3
350				
			274	0
351				
			180	2
352				
			20	113
353				
			13	104
354				
TOTAL			671	1116

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD
REUPPEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO.	STATE	STATE PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	3379	65	68

DIVISION JOB NO. 3379

STATION	END AREA CUT	YARDAGE CUT
		DISTANCE
		CUBIC
		SHRINK
		TOTAL
		TOTAL CUM.
354		
		99
355		
		198
356		
		97
357		
		107
358		
		93
359		
		59
360		
		119
361		
		267
362		
TOTAL		859

PLATE 3 – CROSS SECTION O. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK

FED ROAD DIST NO.	STATE	STH AID PROJ NO	SHEET NO	TOTAL SHEETS
4	WISC	3319	66	68

DIVISION JOB NO. 3319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCES	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE FILL EXCESS	YARDAGE FILL TOTAL
362								
				311				7
363								
				183				39
364								
				85				120
365								
				43				185
366								
				30				191
367								
				43				157
368								
				82				97
369								
				70				152
370								
TOTAL				847				948



PLATE 3—CROSS SECTION C. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK.

ORIGINAL SURVEY	SCALE 1 IN. = 10 FT.	DATE 12-31-20
NOTE BOOK No. 5334	PAGES	CHECKED

FED. ROAD DIST. NO.	STATE	STATE AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
4	WISC.	9319	67	68

DIVISION JOB NO. 9319

STATION	END AREA CUT EARTH	END AREA CUT ROCK	END AREA FILL	DISTANCE	YARDAGE CUT EARTH	YARDAGE CUT ROCK	YARDAGE FILL	TOTAL YARDAGE
370								
				19				473
371				MILE-7	8148			4852
					0			837
372								
					0			422
+56								
					0			82
+79								
					0			86
373								
					0			1015
374								
					0			1169
375								
					0			573
376								
					0			635
377								
TOTALS					0			8071

F. 62 F. 206 F. 287 F. 314 F. 203 F. 193 F. 253 F. 199

0 0 0 0 0 0 0 0

ORIGINAL SURVEY: SURVEYED BY [illegible] DATE 1932 NOTE: 1000 LINKS = 1 MILE

PLATE 3 - GROSS SECTION, O. P. R. & R. E. STANDARD
KEUFFEL & ESSER CO., NEW YORK

FED. ROAD DIST. NO. 4	STATE WIS.	DIVISION	

END AREA CUT

STATION	DISTANCE	CUT
377		
	178	
378		
	156	
379		
	615	
380		
	139	
381		
	91	
382		
	4	
383		
	6	17
384		
	18	84
385		
	33	117
474		
TOTAL	1750	644
MILE & TOTALS	280	30243
GRAND TOTAL 382		45
	37667	46711
TOTAL		

DRAWN		DATE	
TRACED			
CHECKED			
APPROVED			

ORIGINAL SURVEY	SURVEYED	DATE	
	PLOTTED		
	NOTE BOOK NO.	PAGE	
	INDEX CHECKED		

PLATE 3—CROSS SECTION O. P. R. & R. E. STANDARD

KEUFFEL & ESSER CO., NEW YORK.