Mark Harris, County Executive Doug Gieryn, Health Officer/Director

Office Hours: M-F 8:00am-4:00pm Toll-Free: 800-250-3110

Fax: 920-232-3370

health@co.winnebago.wi.us www.co.winnebago.wi.us/health www.rethinkwinnebago.org

Establishment Name:



□ 112 Otter Avenue PO Box 2808 Oshkosh, WI 54903-2808 Phone: 920-232-3000

> □ 211 Walnut Street Neenah, WI 54956 Phone: 920-727-2894

Find us on Facebook or follow us on Twitter

Construction/Remodeling Checklist

Contact:

Address:		Telephone:
City:		Owner:
		Owner Address:
Town:		Owner City:
Plumbing Yes No N/A		
	Ware washing, drain boards and storage Method of dishwashing • Manual dishwashing - A 3-compartment sink (NSF-approved) with adequate drain boards is required. If dishware cannot be effectively cleaned using a 3-compartment sink, a 4-compartment sink may be required to provide prewashing. Sink compartments shall be large enough to immerse at least 50% of the largest piece of equipment or utensil. • Mechanical dishwasher - The unit must be NSF-approved and used according to the manufacturer's instructions. A spray nozzle may be required for prewashing and scraping. • Adequate space must be available to store dirty dishes separately from clean dishware. Hand washing Sinks A separate hand washing sink is required. A hand washing sink shall be located in areas where it is convenient to use during food preparation, food dispensing and ware washing. The faucet should be non-hand operated (sensor, foot/knee peddles, or wrist handles). Hot and cold water, soap and single- use towels must be available. Food Preparation Sink If washing or thawing foods, a separate sink or sink compartment must be	

Yes	No	N/A			
			Restrooms		
			Number of fixtures in restroom		
			Sinks:womenmen		
			Toilets:womenmen		
			Urinals:men		
			Number of Patrons *one sink for each 2 toilets or urinals		
			10 employees and 25 patrons – one toilet room for both sexes		
			1-100 = 1 Male toilet and 1 Female toilet		
			101-200 = 1 Male toilet, 1 urinal and 2 Female toilets		
			201-250 = 1 Male toilet, 2 urinals and 3 Female toilets		
			251-300 = 1 Male toilet, 2 urinals and 4 Female toilets		
			301-350 = 2 Male toilets, 2 urinals and 5 Female toilets		
			Mop Sink		
			A utility or mop sink must be present to discard wastewater.		
			Grease Trap		
			If grease-producing foods are prepared, a grease interceptor must be		
			installed. Contact your local building inspector to determine if a grease		
			interceptor is required.		
			Water Source		
			Private Well		
	_		Water quality test results		
			Wellhead properly constructed		
			Public Water		
	_				
			Private Sewage		
			Private Sewage System		
			Type of sewage system		
			Public Sewage		
Ea	uipı	ment			
	-	N/A			
			Hot Food Holding Equipment		
			Hot holding units must be able to maintain foods at a temperature of 135°F		
			or above. A stem thermometer must be present to check internal		
			temperatures. All units must be NSF approved.		
			Cold Food Holding Equipment		
			Coolers must be able to maintain foods at a temperature of 41°F or less.		
			Freezers must keep the food frozen. All units must be NSF approved and		
			a thermometer must be present in each unit.		
			Cooking Equipment		
			Equipment and utensils used for cooking must be NSF approved.		
	-		Adequate Space For Food Production		
			Adequate space must be available to prevent contamination.		
			Self Service Areas		
			Buffets, salad bars and other customer self-service areas must be properly		
			constructed to prevent contamination from the customer.		

Yes	No	N/A	
			NSF Equipment and Utensils All foodservice equipment and utensils must be NSF approved. Home-style equipment (stoves and refrigerators) and utensils cannot be used. If you have questions about equipment, contact the Winnebago County Health Dept. before purchasing the unit. Restroom Equipment
			Restrooms must have self-closing doors, signs for men or women (unisex sign for a single restroom), hot and cold water, soap, and single service towels. Restrooms cannot be located where customers must pass through a food preparation, serving or storage area. Vent Hood/Grease
			When grease-producing food is prepared, an approved ventilation hood with grease filters and a fire suppression system must be installed. Proper Lighting
			All light bulbs in the food preparation areas, storage areas, coolers and freezers must be protected from breakage by a shield. Coated bulbs (Shat -r- Shield) may be used.
			Thermometers Present Each cold holding unit must have a thermometer. In addition, a metal stem thermometer (with an accuracy of 2°F and a range of 0°F - 220°F) must be present to properly monitor food temperatures.
	uctu No		
		. ——	Properly Constructed Floors The floors in all food preparation, food storage, and utensils washing areas shall be constructed of smooth, durable and easily cleanable material such as commercial vinyl, quarry tile or sealed cement. Carpeted or wooden floors are not acceptable. The floor and wall junction shall be covered. Properly Constructed Walls and Ceiling
			The walls and ceilings in the food preparation, food storage, and utensil washing areas must be light colored, smooth, nonabsorbent and easily cleanable. Drywall, plaster, or cement block can be used but must be sealed with a washable enamel paint or covered with ceramic tile, marlite, glass board or an equivalent product. If using ceiling tiles, install tiles that are smooth and easily cleanable. Food Storage Area
			All food must be stored off the floor at least 6 inches and on nonabsorbent shelving. Wood shelves can only be used for dry storage and must be painted or sealed. Food or food packaging cannot be stored under sewer lines or in other areas where contamination can take place.
			Employee Break room A food employee shall eat, drink, or use tobacco only in designated areas where contamination of food, equipment, or utensils cannot take place. Personal items must be stored in a designated area, away from food or clean equipment and utensils.

NO	N/A		
		Exterior Trash Receptacle The receptacle must be the proper size to eliminate insect and rodent harborage. Receptacles must be covered, durable, cleanable and pest re-	sistant
		Consumer Advisory	
		The customer must be informed when an animal food (beef, eggs, fish, lamb, milk, pork, poultry, or shellfish) is served raw or undercooked. Applicable Foods	_
		Method of Consumer Advisory	
		Certain procedures (smoking, adding vinegar or using food additives as methods of preservation, curing foods, packaging using reduced oxygen packaging method) may require a HACCP program. If required, the	before
		The operator or at least one manager of a food establishment shall be certified as a food manager.	
		ID#:	
		Expiration Date:	
		cedures No N/A ————	The receptacle must be the proper size to eliminate insect and rodent harborage. Receptacles must be covered, durable, cleanable and pest receded to the covered of the proper size to eliminate insect and rodent harborage. Receptacles must be covered, durable, cleanable and pest receded to the proper size to eliminate insect and rodent harborage. Receptacles must be covered, durable, cleanable and pest receded to the proper size to eliminate insect and rodent harborage. Consumer Advisory Method of Consumer Advisory HACCP Certain procedures (smoking, adding vinegar or using food additives as methods of preservation, curing foods, packaging using reduced oxygen packaging method) may require a HACCP program. If required, the HACCP program must approved by the Winnebago County Health Dept. the operation begins. Certified Food Manager The operator or at least one manager of a food establishment shall be certified as a food manager. Name: ID#: ID#:

Questions?

Ready for a Consultation or Inspection? Contact us at 920-232-3000.